

Eighth Article(Common with other inside the specialization- Published).

Influence of Application Methods of Bio-Fertilization on Vegetative Growth, Seed Yield and Chemical Composition of Fenugreek Plants.

Participants	Faisal M. A. Matter and Alaa I. B. Abou-Sreya Hortic. Dept., Fac. Agric., Fayoum Univ., Fayoum, Egypt.
Article status	Common with other inside the specialization
The Journal	Egypt, J. of Hort., 43(1): 30- 45. 2016

SUMMARY

The field work was carried out at the experimental farm "Demo" in faculty of Agriculture, Fayoum University, during two successive seasons of 2013/2014 and 2014/2015. The aim was to investigate the effect of foliar, ground application (soil drenching) and both the two methods using (0, 5, 10 and 15g/l) of bio-fertilization with yeast (*Saccharomyces cerevisiae*) on the growth, yield and chemical constituents of Fenugreek plants. The results assured that Fenugreek plants highly reacted positively and significantly to different methods of bio-fertilization with active dry yeast either by spraying or soil drenching or using both together. Using the highest concentrations (10 and 15 g/l) of yeast by spraying or soil drenching, as individually, or applying them together as interaction proved to have the leadership in enhancing and increasing all vegetative growth characters; plant height, branches number plant⁻¹, fresh and dry weight plant⁻¹, seed yield and its contents of mucilage (%), trigonelline, protein and chemical composition of Fenugreek plants; chlorophyll a, b, carotenoids' contents and total carbohydrates content. Fenugreek plants should be sprayed and drenched at a concentration of 10 and 15 g/l of yeast. Moreover, active dry yeast should be more mechanized and used in agriculture as a harmless bio-fertilizer with a marvellous ability in increasing seed yield and chemical constituents.