

نموذج رقم "1"  
استمارة ملخص بحث بواسطة المتقدم  
رقم البحث (٧)  
عنوان البحث باللغة الإنجليزية:-  
نوعه :- (مشارك)

## Effect of Urogenital Infection Educational Program on Women Knowledge and Practices

عنوان البحث باللغة العربية:-

دراسة تأثير البرنامج التعليمي حول عدوى الجهاز البولي التناسلي على معلومات وممارسات السيدات المشاركات في البحث: بالترتيب في النشر مع توضيح تخصصاتهم ووضع خط تحت اسم المتقدم

أسماء الباحثين	القسم	الكلية – الجامعة
د. مرفت سيد أمين	قسم تمريض صحة المجتمع	كلية التمريض – جامعه الفيوم
د. امل ابراهيم فؤاد	قسم تمريض صحة المجتمع	كلية التمريض – جامعه الفيوم
د. صفيه بلال	التمريض الباطني الجراحي	كلية العلوم الطبية التطبيقية – الملك فيصل
د. بنجامين جيلواي بروبراي	التمريض الباطني الجراحي	كلية العلوم الطبية التطبيقية – حفر الباطن
د. راندا محمد أبو بكر	قسم التمريض النسا	كلية العلوم الطبية – الريان-المدينة

مكان وتاريخ النشر:

The open nursing journal, Q2, Vol. 16, 2022

لا ( √ )

نعم ( )

هل البحث معتمد على رسالة علمية  
ملخص البحث المصغر باللغة الانجليزية:

**Background:** Genitourinary infections may arise by hematogenous dissemination or as an ascending infection, usually because of instrumentation, urinary catheterization, or surgery. Genitourinary infections affect the bladder, urethra, vagina, and infection of the uterus and occur mainly among women and girls owing to the shortness of their urethras and (closer) its proximity to the rectum, making it easier for the bacteria to enter the genitourinary tract. **Aim:** This study aimed to evaluate the effect of urogenital infection educational program on women's knowledge and practices. **Study design:** A quasi-experimental one-group pre/post-test research design. **Study Setting:** The study was carried out at El Hadaka Maternity and Children's Hospital (MCH) in Fayoum. **Subjects:** A convenience sample consisting of all the 50 available patients. **tools:** Tool I: A Structured Interview Questionnaire; This consists of four parts: Part I: Demographic characteristics. Part II: Women's knowledge about urogenital infection. Part III: Reported practices of women about urogenital infection. Tool IV: The Lifestyle of Women Scale. **Results:** 50% of studies reported correct practice about washing hands before and after bathing pre-intervention. There was highly significant improvement at wearing cotton underwear, wearing loose underwear, continuous changing of the underwear, washing underwear clothes by hot water, exposing clothes to sun rays, drinking plenty of water daily between pre, post, and follow up an intervention with (p-value <0.01). **Conclusion:** Significant improvements in women's knowledge and reported practices related to a urogenital infection during the post-program intervention phase. **Recommendations:** Provide different educational programs regarding knowledge and self-care practices for women with urogenital infection at different women's care settings.

التوقيع

مقدم البحث

د. امل ابراهيم فؤاد