PATTERN OF HYPERTENSION IN FAYOUM GOVERNORATE

Thesis

Submitted for Partial fulfillment of MD Degree in Internal Medicine

By

Abdelrahman Ahmed Ewais

Master of Internal Medicine

Fayoum University

Under Supervision of

Dr Maher Abo Bakr Al Amir

Professor Of Internal Medicine

Faculty Of Medicine, Fayoum University

Dr. Eman Mahmoud Ezzat Mahmoud

Lecturer Of Internal Medicine,

Faculty Of Medicine, Fayoum University

Faculty of Medicine

Fayoum University

2018

Conclusion and Recommendations

The present study showed that the prevalence of hypertension in Fayoum governoratewas 28.4%, only 68% of them were aware of their hypertension, only 40.1% of known hypertensive patients and 42% of known hypertensive patients had werecontrolled complications. There is also high prevalence ofdiabetes mellitus23.9%, obesity 47.6% smoking14.6%.More and researchesarerequired to reveal reasons behind these near low levels of control and awareness, inorder to put in the picture appropriate policy to improve the rate of control and quality of life of hypertensive patients in Egypt.

Recommendations

- •To carry out more studies for better understanding of hypertensionprevalence, awareness, treatment, risk factors and complications.
- •To offer special courses for medical staff about diagnosis, treatment and management of hypertension.
- •To expand awareness programs for the population abouthypertension all over the country by trained personnel.
 - •Toimprove patient compliance by all possible ways.